



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/004,803	12/07/2001	Norihide Ooyama	011659	7776
38834	7590	04/13/2005	EXAMINER	
WESTERMAN, HATTORI, DANIELS & ADRIAN, LLP			ALEJANDRO, RAYMOND	
1250 CONNECTICUT AVENUE, NW			ART UNIT	
SUITE 700			PAPER NUMBER	
WASHINGTON, DC 20036			1745	

DATE MAILED: 04/13/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

## Office Action Summary

Application No.

10/004,803

Applicant(s)

OOYAMA, NORIHIDE

Examiner

Raymond Alejandro

Art Unit

1745

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 27 April 2004.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 1-6 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-6 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 27 April 2004 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some \* c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- \* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- 1) ☐ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)  
Paper No(s)/Mail Date \_\_\_\_\_
- 4) ☐ Interview Summary (PTO-413)  
Paper No(s)/Mail Date. \_\_\_\_\_
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: \_\_\_\_\_

## **DETAILED ACTION**

### ***Response to Amendment***

This office action is being provided in reply to the amendment filed 04/27/04. The applicant has overcome the all the objections. Refer to the abovementioned amendment for specific details on applicant's rebuttal arguments. However, the present claims are finally rejected over the same art as set forth infra and for the reasons of record:

### ***Drawings***

1. The drawings were received on 04/27/04. These drawings are acceptable.

### ***Claim Rejections - 35 USC § 102***

2. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

3. Claims 1-2, 4 and 6 are rejected under 35 U.S.C. 102(b) as being anticipated by the EP 997959 reference.



The instant application is directed to a sealed battery wherein the disclosed inventive concept comprises the specific battery configuration. Other limitations include the specific placement of the electrode tabs; the thermal fusion film; the battery arrangement and the specific battery chemistry.

Art Unit: 1745

With respect to claim 1:

The EP'959 reference discloses a non-aqueous electrolyte cell in which an unit cell is housed in an exterior packaging material of a laminated film and encapsulated on heat fusion; said unit cell is a wound assembly of elongated positive and negative electrodes each being constituted by a current collector and a layer of an active material formed thereon (claim 1/page 9, lines 14-24). It is disclosed that the unit cell comprises a solid electrolyte or gel-like electrolyte arranged between a layer of an active material of a positive electrode and a layer of an active material of a negative electrode (*the separator*) (SECTION 0017). It is also disclosed that the unit cell is accommodated in a packaging material 2 of a laminated film obtained on molding with deep drawing in meeting with the shape of the unit cell 1, and the rim portion of the resulting assembly is heat-fused for hermetic sealing (SECTION 0017). It is disclosed that the exterior package material of the laminated aluminum film is then folded back on itself along its mid line to enclose the unit cell. The opened three-sides of the exterior packaging material is then sealed using a heat-sealing devices (SECTION 0063). *It is noted that aluminum is a malleable metallic element, that is, capable of being extended or shaped by beating or by pressure, or capable of being altered or deformed by outside forces, that is to say, aluminum has the capacity for adapting shape changes.*

Figures 1-2 below illustrate structures of the pre-sealed and sealed solid electrolyte cell, respectively.




The EP'959 reference teaches that each elongated positive and negative electrodes is constituted by a current collector and a layer of an active material formed thereon (claim 1/page 9, lines 14-24). Further, the EP'959 discloses that the negative and positive terminals are comprised of a current collector 11a and 12a, on each side of which is formed a layer of an active material for the negative and positive terminals 11b and 12b. These layers 11b and 12b are partially removed to expose the current collectors 11a and 12a and the negative terminal leads 13 and 14 are mounted on the exposed portion of the current collectors 11a and 12a (SECTIONS 0023-0024). Thus, it is understood that active material layers are formed on the surfaces of the curved portions positioned on outermost periphery of each positive and negative electrode

because active material layers are only removed at the current collector site where the terminal leads are mounted.

It is further disclosed that the wound assembly is flat-shaped (claim 2/page 9, line 29).

Figure 8 shows an unit cell having a terminal lead and a positive terminal lead arranged outside of the winding member. *From Figure 8 below it is apparent that the positive and negative electrode are wound-up by having plane portions and curved portions and having a band shape identical to the instant claims.*



As for claim 2:

Comparative Example 2 and Figure 8 above show both the negative terminal lead 3 of the negative terminal and the positive terminal lead 4 of the positive terminal placed on the outer side of the winding electrode structure. It is disclosed that the resulting wound assembly is sheathed in an aluminum laminate film as an exterior packaging and then heat sealed (SECTION 0067/ COMPARATIVE EXAMPLE 2).

With respect to claim 4 (NOTE: this also applies to claim 5 rejected below):

Art Unit: 1745

It is disclosed that the unit cell is accommodated in an exterior packaging material of the laminated aluminum film molded by deep drawing to profile the outer shape of the unit cell (SECTION 0062). The exterior packaging material is folded back on itself to enclose the unit cell; and the sides of the exterior packaging material is then sealed (SECTION 0063); the tab terminals are protruded as external terminals from the exterior packaging material of the cell (SECTION 0064/ Figure 1). ***Figure 1** above depicts that the exterior packaging material accommodates the battery element in its recessed portion and that the terminal lead are placed on the plane portion of the exterior packaging material.*

As to claim 6:

It is disclosed that battery chemistry is for lithium ion polymer (SECTION 0002/0039).

Thus, the claims are anticipated.

***Claim Rejections - 35 USC § 103***

4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

5. Claims 3 and 5 are rejected under 35 U.S.C. 103(a) as being unpatentable over the EP 997959 as applied to claim 2 above, and further in view of the EP 1035611.



The EP'959 is applied, argued and incorporated herein for the reasons above. However, the EP'959 do not expressly disclose: a) the specific layer coated with a thermal fusion material attached where the positive and negative electrode conductive tabs are sealed with the external

Art Unit: 1745

material; and b) the specific battery accommodation now comprising the specific thermal fusion layer (as applicable to claim 5 which depends from claim 3).

With respect to claims 3 and 5:

The EP'611 discloses that as shown on Figures 2 and 4, the positive electrode lead 7 and the negative electrode lead 8 are sandwiched by the sealing portion in which is the periphery of the casing film. Moreover, a resin film 9 is disposed in each of the portions in which the positive-electrode lead 7 and the negative electrode lead 8 are brought into contact with the casing film 6 (SECTION 0022, particularly, page 4, lines 14-16).



As to claim 5 (NOTE: see also rejection for claim 4 above):

It is further disclosed that a polyethylene film was applied to the portion in which the positive electrode lead, the negative electrode lead and the casing film overlap. Then, the



Art Unit: 1745

periphery of the casing films was heat sealed. Thus, the positive electrode lead and the negative electrode lead were sandwiched in the sealed portion between the casing films. Moreover, the wound electrode was hermitically enclosed in the casing films (SECTION 0064).

Further, as is apparent from the Figures 2 and 4 above, the battery element is accommodated in a recessed portion of the casing film, and the electrode leads are placed on its plane portion and the cell is sealed.

In view of the above, it would have been obvious to one skilled in the art at the time the invention was made to make the specific layer coated with a thermal fusion material attached where the positive and negative electrode conductive tabs are sealed with the external material of the EP 1035611 reference in the sealed battery of the EP 997959 reference as the EP'611 teaches that by placing the resin film on the portion in which the electrode leads and the casing film overlaps, the wound electrode is thus hermetically enclosed in the casing films. Accordingly, defective sealing caused due to the meeting contact point in the sealed portion can considerably be prevented. Thus, introduction of moisture into the casing film containing the battery element through a defective sealing portion or a broken portion of the casing, and therefore, deterioration in the performance of the battery caused from moisture introduced into the battery can be prevented.

As for the specific battery accommodation, it would have been obvious to one skilled in the art at the time the invention was made to make the specific battery accommodation comprising the specific thermal fusion layer of the EP1035611 in the sealed battery of the EP997959 as the EP'1035611 teaches that that by placing the resin film on the portion in which the electrode leads and the casing film overlaps, the wound electrode is thus hermetically

enclosed in the casing films. Accordingly, defective sealing caused due to the meeting contact point in the sealed portion can considerably be prevented. Thus, introduction of moisture into the casing film containing the battery element through a defective sealing portion or a broken portion of the casing, and therefore, deterioration in the performance of the battery caused from moisture introduced into the battery can is prevented.

### ***Response to Arguments***

6. Applicant's arguments filed 04/27/04 have been fully considered but they are not persuasive.

7. The main contention of applicant's arguments appears to be premised, as best understood by the examiner, on the general assertion that "*In particular, in case of a lithium battery now used in practical application, no active material layer is formed on the outermost periphery*", and therefore the prior art of record does not teach "*the claimed active layer being formed on the curved surface of the outermost periphery*". However, this assertion is not sufficient to overcome the art rejection because, as pointed out in the rejection hereinabove and illustrated in Figures 1-2, each side of the both the positive and negative electrodes is constituted by the current collector and layers of an active material formed thereon. Thus, it is emphatically contended that in the absence of any indication from the prior art that said active material is partly removed from any given location/portion/site thereof, it is fair to believe that the battery element must have active material formed/deposited on all of its curved portions. Simply put, given that the prior art makes no mention about the removal of active material from the surface(s) of the current collector, it is asserted that the prior art constructively instructs the skilled artisan to form or deposit active

Art Unit: 1745

material over the entire surface/periphery of the current collecting element; and therefore, the wound battery element formed by winding up the positive electrode and negative electrode is to be entirely coated.

Accordingly, the examiner also asserts that it is not enough that applicant's representative personally believes that "*in case of a lithium battery now used in practical application, no active material layer is formed on the outermost periphery*". That is to say, the arguments of counsel cannot take the place of evidence in the record. An assertion of what seems to follow from common experience is just attorney argument and not the kind of factual evidence that is required to rebut a prima facie case of inherent anticipation/obviousness. In other words, a statement or argument by the attorney is not factual evidence. (See **MPEP 716.01 and 2145 Consideration of Applicant's Rebuttal Arguments**).

8. In response to applicant's argument that the references fail to show certain features of applicant's invention, it is noted that the features upon which applicant relies [i.e. a) "*a thin type battery*" or b) "*none of the references gives a concrete description of a method for forming a battery active material*"] are not recited in the rejected claim(s). Although the claims are interpreted in light of the specification, limitations from the specification are not read into the claims. See *In re Van Geuns*, 988 F.2d 1181, 26 USPQ2d 1057 (Fed. Cir. 1993). *It is noted that none of the abovementioned features are currently recited in the present claims. Indeed, all pending claims are directed to a sealed battery per se, not to a method for forming it. Consequently, applicant's arguments are not commensurate in scope with the present claim language.*

Art Unit: 1745

9. In response to applicant's argument that "*each reference discloses an invention relating to a takeoff portion of a tab for an electrical connection*" and its implication, the fact that applicant has recognized another advantage/disadvantage which would flow naturally from following the suggestion of the prior art cannot be the basis for patentability when the differences would otherwise be obvious. See *Ex parte Obiaya*, 227 USPQ 58, 60 (Bd. Pat. App. & Inter. 1985).

10. Applicant's arguments do not comply with 37 CFR 1.111(c) because they do not clearly point out the patentable novelty which he or she thinks the claims present in view of the state of the art disclosed by the references cited or the objections made. Further, they do not show how the amendments avoid such references or objections.

11. Applicant's arguments fail to comply with 37 CFR 1.111(b) because they amount to a general allegation that the claims define a patentable invention without specifically pointing out how the language of the claims patentably distinguishes them from the references.

### ***Conclusion***

12. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37

Art Unit: 1745

CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Raymond Alejandro whose telephone number is (571) 272-1282. The examiner can normally be reached on Monday-Thursday (8:00 am - 6:30 pm).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Patrick J. Ryan can be reached on (571) 272-1292. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Raymond Alejandro  
Primary Examiner  
Art Unit 1745

  
RAYMOND ALEJANDRO  
PRIMARY EXAMINER